L Number	Hits	Search Text	DB	Time stamp
-	0	"09894181"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:20
-	14	(("5820388") or ("5855415") or ("5737734") or ("6012053") or ("5892898") or ("6253213") or ("6275988")).PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:28
-	15	assign$ with grade with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:29
-	15	assign$ with grade with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:29
-	23	assign$ with grade with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:29
-	12	(assign$ with grade with file) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:33
-	342193	quality with filter$ with associat$ file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:32
-	0	quality with filter$ with associat$ with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:33
-	27	quality with filter$ with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:33
-	12	(quality with filter$ with file) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:38
-	153	assign$ with grade with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:38

-	20	database with file with grade	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:38
-	1437	assign$ with (grade or qualit$3) with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:41
-	154	database with file with (grade or qualit$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:38
-	20	(assign$ with (grade or qualit$3) with data) and (database with file with (grade or qualit$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:38
-	7	((assign$ with (grade or qualit$3) with data) and (database with file with (grade or qualit$3))) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:04
-	0	database with (record or log) with grade with file with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:46
-	20	database with (record or log) with grade with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:46
-	2	(database with (record or log) with grade with data) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:55
-	1	associat$ with score with portion with (filename or "file name")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:03
-	1	associat$ with score with (filename or "file name")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:04

-	108	associat$ with score with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:04
-	61	(associat$ with score with file) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 13:35
-	2388	access$ with score	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:06
-	9	(access$ with score) and ((associat$ with score with file) and @ad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 13:34
-	19	rating with data with file with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 13:35
-	5	(rating with data with file with database) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 13:37
-	234	assign$ with rating with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 13:37
-	177	access$ adj rating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 13:37
-	17	(access$ adj rating) and (assign$ with rating with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 13:37
-	4	((access$ adj rating) and (assign$ with rating with data)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 13:37
-	618	709/232.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:40

	1438	assign$ with (grade or qualit$3) with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:41
	2	709/232.ccls. and (assign$ with (grade or qualit$3) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:41